CONTENTS

PART 1 JANUARY 2002

MILLERSHIP, J. J., CHAPPELL, C. L., OKHUYSEN, P. C. and SNOWDEN, K. F. Characterization of a cytosolic aminopeptidase from *Encephalitozoon intestinalis* 1

HOSHEN, M. B., STEIN, W. D. and GINSBURG, H. Mathematical modelling of malaria chemotherapy: combining artesunate and mefloquine 9

NOYES, H., PRATLONG, F., CHANCE, M., ELLIS, J., LANOTTE, G. and DEDET, J.-P. A previously unclassified trypanosomatid responsible for human cutaneous lesions in Martinique (French West Indies) is the most divergent member of the genus *Leishmania ss* 17

KHAMMO, N., BARTLETT, A., CLOTHIER, R. H. and WHITFIELD, P. J. The attachment of *Schistosoma mansoni* cercariae to human skin cells 25

DAVIES, C. M., FAIRBROTHER, E. and WEBSTER, J. P. Mixed strain schistosome infections of snails and the evolution of parasitic virulence 31

ZIĘTARA, M. S., HUYSE, T., LUMME, J. and VOLCKAERT, F. A. Deep divergence among subgenera of *Gyrodactylus* inferred from rDNA ITS region 39

CABLE, J., TINSLEY, R. C. and HARRIS, P. D. Survival, feeding and embryo development of *Gyrodactylus gasterostei* (Monogenea: Gyrodactylidae) 53

LYSNE, D. A. and SKORPING, A. The parasite *Lernaeocera branchialis* on caged cod: infection pattern is caused by differences in host susceptibility 69

SAEIJ, J. P. J., VAN MUISWINKEL, W. B., GROENEVELD, A. and WIEGERTJES, G. F. Immune modulation by fish kinetoplastid parasites: a role for nitric oxide 77

SACCHI, L., CORONA, S., CASIRAGHI, M. and BANDI, C. Does fertilization in the filarial nematode *Dirofilaria immitis* occur through endocytosis of spermatozoa? 87

LE, T. H., PEARSON, M. S., BLAIR, D., DAI, N., ZHANG, L. H. and McMANUS, D. P. Complete mitochondrial genomes confirm the distinctiveness of the horse-dog and sheep-dog strains of *Echinococcus granulosus* 97

BOOK REVIEW 113

PART 2 FEBRUARY 2002

OGDEN, N. H., CASEY, A. N. J., FRENCH, N. P., ADAMS, J. D. W. and WOLDEHIWET, Z. Field evidence for density-dependent facilitation amongst *Ixodes ricinus* ticks feeding on sheep 117

OGDEN, N. H., CASEY, A. N. J., FRENCH, N. P., BOWN, K. J., ADAMS, J. D. W. and WOLDEHIWET, Z. Natural *Ehrlichia phagocytophila* transmission coefficients from sheep 'carriers' to *Ixodes ricinus* ticks vary with the numbers of feeding ticks 127

COIMBRA, E. S., GONÇALVES-DA-COSTA, S. C., CORTE-REAL, S., DE FREITAS, F. G. R., DURÃO, A. C., SOUZA, C. S. F., SILVA-SANTOS, M. I. and VASCONCELOS, E. G. Characterization and cytochemical localization of an ATP diphosphohydrolase from *Leishmania amazonensis* promastigotes 137

LEIRO, J., IGLESIAS, R., PARAMÁ, A., ARAGORT, W. and SANMARTÍN, M. L. PCR detection of *Tetramicra brevifilum* (Microspora) infection in turbot (*Scophthalmus maximus* L.) musculature 145

HAAS, W., GRABE, K., GEIS, C., PÄCH, T., STOLL, K. FUCHS, M., HABERL, B. and LOY, C. Recognition and invasion of human skin by *Schistosoma mansoni* cercariae: the key-role of L-arginine 153

PAGÈS, J. R., SOUTHGATE, V. R., TCHEUM TCHUENTÉ, L. A. and JOURDANE, J. Experimental evidence of hybrid breakdown between the two geographical strains of *Schistosoma intercalatum* 169

MENDONÇA, M. B. A., NEHME, N. S., SANTOS, S. S., CUPOLILLO, E., VARGAS, N., JUNQUEIRA, A., NAIFF, R. D., BARRETT, T. V., COURA, J. R., ZINGALES, B. and FERNANDES, O. Two main clusters within *Trypanosoma cruzi* zymodeme 3 are defined by distinct regions of the ribosomal RNA cistron 177

NOYES, H. A., AMBROSE, P., BARKER, F., BEGON, M., BENNET, M., BOWN, K. J. and KEMP, S. J. Host specificity of *Trypanosoma* (*Herpetosoma*) species: evidence that bank voles (*Clethrionomys glareolus*) carry only one *T.* (*H.*) *evotomys* 18S rRNA genotype but wood mice (*Apodemus sylvaticus*) carry at least two polyphyletic parasites 185

SAHOO, P. K., BABU GEDDAM, J. J., SATAPATHY, A. K., MOHANTY, M. C., DAS, B. K., ACHARYA, A. S., MISHRA, N. and RAVINDRAN, B. Bancroftian filariasis: a 13-year follow-up study of asymptomatic microfilariae carriers and endemic normals in Orissa, India 191

STERUD, E., MO, T. A., COLLINS, C. M. and CUNNINGHAM, C. O. The use of host specificity, pathogenicity and molecular markers to differentiate between *Gyrodactylus salaris* Malmberg, 1957 and *G. thymalli* Zitnan, 1960 (Monogenea: Gyrodactylidae) 203

OKAMURA, B., CURRY, A., WOOD, T. S. and CANNING, E. U. Ultrastructure of *Buddenbrockia* identifies it as a myxozoan and verifies the bilaterian origin of the Myxozoa 215

PART 3 MARCH 2002

PAGET-McNICOL, S., GATTON, M., HASTINGS, I. and SAUL, A. The *Plasmodium falciparum var* gene switching rate, switching mechanism and patterns of parasite recrudescence described by mathematical modelling 225

SOARES, I. S. and RODRIGUES, M. M. Immunogenic properties of the *Plasmodium vivax* vaccine candidate MSP_{19} expressed as a secreted non-glycosylated polypeptide from *Pichia pastoris* 237

SIMPSON, J. A., AARONS, L., COLLINS, W. E., JEFFREY, G. M. and WHITE, N. J. Population dynamics of untreated *Plasmodium falciparum* malaria within the adult human host during the expansion phase of the infection 247

SKILTON, R. A., BISHOP, R. P., KATENDE, J. M., MWAURA, S. and MORZARIA, S. P. The persistence of *Theileria parva* infection in cattle immunized using two stocks which differ in their ability to induce a carrier state: analysis using a novel blood spot PCR assay 265

HENRIKSSON, J., DUJARDIN, J. C., BARNABÉ, C., BRISSE, S., TIMPERMAN, G., VENEGAS, J., PETTERSSON, U., TIBAYRENC, M. and SOLARI, A. Chromosomal size variation in *Trypanosoma cruzi* is mainly progressive and is evolutionarily informative 277

UZCANGA, G., MENDOZA, M., ASO, P. M. and BUBIS, J. Purification of a 64 kDa antigen from *Trypanosoma evansi* that exhibits cross-reactivity with *Trypanosoma vivax* 287

BAHGAT, M., CHLICHLIA, K., SCHIRRMACHER, V. and RUPPEL, A. Antibodies induced in mice by a DNA-construct coding for the elastase *Schistosoma mansoni* recognize the enzymes in secretions and preacetabular glands of cercariae 301

DVOŘÁK, J., VAŇÁČOVÁ, Š., HAMPL, V., FLEGR, J. and HORÁK, P. Comparison of European *Trichobilharzia* species based on ITS1 and ITS2 sequences 307

AUDEMARD, C., LE ROUX, F., BARNAUD, A., COLLINS, C., SAUTOUR, B., SAURIAU, P.-G., DE MONTAUDOUIN, X., COUSTAU, C., COMBES, C. and BERTHE, F. Needle in a haystack: involvement of the copepod *Paracartia grani* in the life-cycle of the oyster pathogen *Marteilia refringens* 315

ROBINSON, M. W., TRUDGETT, A., HOEY, E. M. and FAIRWEATHER, I. Triclabendazole-resistant *Fasciola hepatica*: β-tubulin and response to *in vitro* treatment with triclabendazole 325

KIRK, R. S., MORRITT, D., LEWIS, J. W. and KENNEDY, C. R. The osmotic relationship of the swimbladder nematode *Anguillicola crassus* with seawater eels 339

PART 4 APRIL 2002

AGBO, E. E. C., MAJIWA, P. A. O., CLAASSEN, H. J. H. M., and TE PAS, M. F. W. Molecular variation of *Trypanosoma brucei* subspecies as revealed by AFLP fingerprinting 349

WARD, P. I., DEPLAZES, P., REGLI, W., RINDER, H. and MATHIS, A. Detection of eight *Cryptosporidium* genotypes in surface and waste waters in Europe 359

PALENZUELA, O., REDONDO, M. J. and ÁLVAREZ-PELLITERO, P. Description of *Enteromyxum scophthalmi* gen. nov., sp. nov. (Myxozoa), an intestinal parasite of turbot *Scopthalmus maximus* L.) using morphological and ribosomal RNA sequence data 369

REFARDT, D., CANNING, E. U., MATHIS, A., CHENEY, S. A., LAFRANCHI-TRISTEM, N. J. and EBERT, D. Small subunit ribosomal DNA phylogeny of microsporidia that infect *Daphnia* (Crustacea: Cladocera) 381

BUCKLE, A. C., KNOX, D. P. and RILEY, J. Proteins and proteinases in the *in vitro* released products (IVRP) of the tissue-invasive and lung-dwelling larvae of the pentastomid *Porocephalus crotali* 391

MORAND, S., SOUTHGATE, V. R. and JOURDANE, J. A model to explain the replacement of *Schistosoma intercalatum* by *Schistosoma haematobium* and the hybrid *S. intercalatum* × *S. haematobium* in areas of sympatry 401

HRČKOVA, G., VELENBNÝ, S., HALTON, D. W. and MAULE, A. G. *Mesocestoides corti* (syn. *M. vogae*): modulation of larval motility by neuropeptides, serotonin and acetylcholine 409

WHITTINGTON, I. D. and ERNST, I. Migration, site-specificity and development of *Benedenia lutjani* (Monogenea: Capsalidae) on the surface of its host, *Lutjanus carponotatus* (*Pisces*: *Lutjanidae*) 423

BYRNE, C. J., HOLLAND, C. V., POOLE, R. and KENNEDY, C. R. Comparison of the macroparasite communities of wild and stocked brown trout (*Salmo trutta* L.) in the west of Ireland 435

SUN, Y., KOSKI, K. G., WYKES, L. J. and SCOTT, M. E. Dietary pectin, but not cellulose, influences *Heligmosomoides polygyrus* (Nematoda) reproduction and intestinal morphology in the mouse 447

LEFEBVRE, F., CONTOURNET, P. and CRIVELLI, A. J. The health state of the eel swimbladder as a measure of parasite pressure by *Anguillicola crassus* 457

VAN DER VEEN, I. T. and KURTZ, J. To avoid or eliminate: cestode infections in copepods 465

BOOK REVIEWS 475

PART 5 MAY 2002

MONTES, J. F., DURFORT, M., LLADÓ, A. and GARCÍA-VALERO, J. Characterization and immunolocalization of a main proteinaceous component of the cell wall of the protozoan parasite *Perkinsus atlanticus* 477

STEPHENS, S. A. and HOWARD, C. J. Infection and transformation of dendritic cells from bovine afferent lymph by *Theileria annulata* 485

ROGERS, M. E., CHANCE, M. L. and BATES, P. A. The role of promastigote secretory gel in the origin and transmission of the infective stage of *Leishmania mexicana* by the sandfly *Lutzomyia longipalpis* 495

TERHELL, A. J., STOLK, W. A., HAARBRINK, M., MANGALI, A., VAN OORTMARSSEN, G. J. and YAZDANBAKHSH, M. Regulation of anti-filarial IgE by infection pressure 509

MOURITSEN, K. N. The parasite-induced surfacing behaviour in the cockle *Austrovenus stutchburyi*: a test of an alternative hypothesis and identification of potential mechanisms 521

SAGE, R. B., WOODBURN, M. I. A., DAVIS, C. and AEBISCHER, N. J. The effect of an experimental infection of the nematode *Heterakis gallinarium* on the hand-reared grey partridges *Perdix perdix* 529

DEZFULI, B. S., VOLPONI, S., BELTRAMI, I. and POULIN, R. Intra- and interspecific density-dependent effects on growth in helminth parasites of the cormorant, *Phalacrocorax carbo sinensis* 537

STRAIN, S. A. J., BISHOP, S. C., HENDERSON, N. G., KERR, A., McKELLAR, Q. A., MITCHELL, S. and STEAR, M. J. The genetic control of IgA activity against *Teladorsagia circumcincta* and its association with the parasite resistance in naturally infected sheep 545

STEAR, M. J., HENDERSON, N. G., KERR, A., McKELLAR, Q. A., MITCHELL, S., SEELEY, C. and BISHOP, S. C. Eosinophilia as a marker of resistance to *Teladorsagia circuncincta* in Scottish Blackface lambs 553

PEDERSEN, S., SAEED, I., MICHAELSEN, K. F., FRIIS, H. and MURRELL, K. D. Impact of protein energy malnutrition on *Trichuris suis* infection in pigs concomitantly infected with *Ascaris suum* 561

PART 6 JUNE 2002

TAMI, A., GRUNDMANN, H., SUTHERLAND, C., McBRIDE, J. S., CAVANAGH, D. R., CAMPOS, E., SNOUNOU, G., BARNABÉ, C., TIBAYRENC, M. and WARHURST, D. C. Restricted genetic and antigenic diversity of *Plasmodium falciparum* under mesoendemic transmission in the Venezuelan Amazon 569

ZINTL, A., WESTBROOK, C., MULCAHY, G., SKERRETT, H. E. and GRAY, J. S. Invasion, and short- and long-term survival of *Babesia divergens* (Phylum Apicomplexa) cultures in non-bovine sera and erythrocytes 583

NYAKUNDI, J. N., CRAWLEY, B., SMITH, R. A. and PENTREATH, V. W. The relationships between intestinal damage and circulating endotoxins in experimental *Trypanosoma brucei brucei* infections 589

NYAKUNDI, J. N., CRAWLEY, B. and PENTREATH, V. W. The relationships between endotoxins, nitric oxide and inflammatory cytokines in blood and intestinal tissues in experimental *Trypanosoma brucei brucei* infections 597

DEMPSEY, C. M. and GRIFFIN, C. T. Phased activity in *Heterorhabditis megidis* infective juveniles 605

ZHU, X. Q., D'AMELIO, S., PALM, H. W., PAGGI, L., GEORGE-NASCIMENTO, M. and GASSER, R. B. SSCP-based identification of members within *Pseudoterranova decipiens* complex (Nematoda: Ascaridoidea: Anisakidae) using genetic markers in the internal transcribed spacers of ribosomal DNA 615

LEVSEN, A. and JAKOBSEN, P. J. Selection pressure towards monoxeny in *Camallanus cotti* (Nematoda: Camallanidae) facing an intermediate host bottleneck situation 625

STIEGER, C., HEGGLIN, D., SCHWARZENBACH, G., MATHIS, A. and DEPLAZES, P. Spatial and temporal aspects of urban transmission of *Echinococcus multilocularis* 631

PENG, W., ZHOU, X. and CUI, X. Comparison of the structures of natural and re-established populations of *Ascaris* in humans in a rural community of Jiangxi, China 641

PURCELL, J., ROBERTSON, A. P., THOMPSON, D. P. and MARTIN, R. J. The time-course of the response to the FMRF amide-related peptide PF4 in *Ascaris suum* muscle cells indicates direct gating of a chloride ion-channel 649

NAKAO, M., OKAMOTO, M., SAKO, Y., YAMASAKI, H., NAKAYA, K. and ITO, A. A phylogenetic hypothesis for the distribution of two genotypes of the pig tapeworm *Taenia solium* worldwide 657